

City of Huntington 2021 Local Government Operations Greenhouse Gas Emissions Inventory



Table of Contents

Letter from the Mayor	Page 3
Executive Summary	Pages 4-5
Introduction	Pages 6-9
Inventory Methodology	Pages 10-13
Community Inventory Results	Pages 14-17
Next Steps	Pages 18-19
Conclusion	Page 20
Glossary and Acronyms	Pages 21-22
Acknowledgements and Credits	Pages 23-24
Appendix: Methodology Details	Pages 25-27

Letter from the Mayor



I never make enough time to work on my '77 Chrysler LeBaron but I always enjoy it when I get a chance. I'm a slouch when it comes to working on cars but even I know that when I do, I need to make sure it is in a well-ventilated space. The gases produced by engine and exhaust systems can be deadly if I don't respect them. Those same gases, over greater time and with greater output, affect our environment too. It's easy enough to open my garage door while I'm working on the car. It takes a lot more effort and resources to address the impact of largescale pollution.

Each of us must do our part to prepare to face the consequences of a changing climate. At the same time, some problems we have to solve together as a community. Improvements to storm water drainage and separating sewers from our storm water system are under way. Tree planting to cool off our community to help us weather more severe heat days is kicking off as well.

As a next step, the City of Huntington has worked with Indiana University to create a Greenhouse Gas (GHG) Emissions Inventory. The inventory creates a baseline so we know where we are and can set goals to improve. The following report focuses on Huntington's community. A similar report chronicles Huntington's local government operations specifically.

The challenges are daunting. Confirmation of the underlying research by private sector energy companies underscores the urgency. It will take us all working together to overcome these challenges with patience and diligence. Thank you for doing your part to learn more by reviewing this report.

Richard Strick, Mayor Huntington, Indiana

Executive Summary

The City of Huntington recognizes the effects that greenhouse gas emissions from human activities have on our climate and the consequences we must face as a community. The City of Huntington is dedicated to making the community climate resilient with a stronger economy, a healthier environment, and a higher quality of life for its residents.

Huntington was one of 22 Indiana communities who produced a greenhouse gas (GHG) emissions inventory this year. The additional communities include Cedar Lake, Chesterton, East Chicago, Highland, Hobart, Indianapolis, La Porte, Lafayette, Lake County, Lake Station, LaPorte County, Merrillville, Munster, New Albany, New Castle, Porter County, Schererville, South Bend, Terre Haute, Tippecanoe County, and Valparaiso. Since 2019, 19 additional Indiana communities have completed a GHG emissions inventory. By the end of December 2021, approximately 50% of Indiana's population will be covered by a GHG emissions inventory, a great accomplishment taking Indiana one step further toward climate resiliency.

The City of Huntington partnered with Indiana University's Environmental Resilience Institute (ERI)¹ and ICLEI Local Governments for Sustainability (ICLEI USA)² to reduce the community's GHG emissions following the ERI's three stages in Climate Action Planning and ICLEI's Five Climate Mitigation Milestones. This report presents the results from the local government operations greenhouse gas (GHG) emissions inventory. Huntington will use these results to set emission reduction goals and present them in a written Climate Action Plan for the city.

Key Findings

Figure 1 represents the local government operations (LGO) emissions by sector. In the calendar year of 2019, the local government emitted approximately 40,809 Metric Tons of carbon dioxide equivalent (MTCO₂e).³ The largest contributing sector by the local government was solid waste emitting 82% of the LGO's GHGs. The next largest contributors were water and wastewater, 11%, and vehicle fleet, 4%, while the remaining emissions came from buildings and facilities, employee commute, streetlights and traffic signals, and process and fugitive emissions.⁴ This inventory determined that 9.8% of Huntington's community GHG emissions were emitted by the local government in 2019.

 $^{^{\}rm 4}$ In this inventory, the process and fugitive emissions come from natural gas leakage.



¹ https://eri.iu.edu.

² https://icleiusa.org.

 $^{^3}$ MTCO $_2$ e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.




Figure 1: Local Government Operations GHG emissions by sector in Huntington, Ind., during the 2019 calendar year.

The Local Government Operations Inventory Results section of this reports provides more details on the GHG emissions from the local government. This baseline inventory will be used to compare the city's future emissions and assess any trends over time.

Introduction

Naturally occurring gases dispersed in the atmosphere determine the Earth's climate by trapping solar radiation. This phenomenon is known as the greenhouse effect. Overwhelming evidence shows that human activities are increasing the concentration of greenhouse gases and changing the global climate. The most significant contributor is the burning of fossil fuels for transportation, electricity generation and other purposes, which introduces large amounts of carbon dioxide and other greenhouse gases into the atmosphere. Collectively, these gases intensify the natural greenhouse effect, causing global average surface and lower atmospheric temperatures to rise. Global climate change influences seasonal patterns and intensifies weather events, threatening the safety, quality of life, and economic prosperity of communities everywhere. Many regions are already experiencing the consequences of global climate change, and Huntington is no exception.

What does climate change mean for Huntington?

Indiana is becoming warmer and wetter with each passing year as a direct result of GHG emissions from human

activities. Midwestern states are expected to experience the consequences of climate change as much as coastline states.⁷ Figure 2 highlights the challenges Indiana is expected to face based on the 2018 Indiana Climate Change Impacts Assessment (IN CCIA).⁸ These challenges include recordbreaking heat waves, a delayed fall freeze, reduced water and air quality, decreased productivity of corn and soybean crops, loss of species, increased heavy rainfall, increased exposure to ticks and Lyme disease due to shorter winters, and increased demand for cooling.




Figure 2: Indiana Climate Change Impacts according to the 2018 Indiana Climate Change Impacts Assessment. The figure was created by the City of South Bend,

http://docs.southbendin.gov/WebLink/0/edoc/296977/South%20Bend%20Climate%20Action%20Plan.pdf.

⁸ Indiana's Past & Future Climate: A Report from the Indiana Climate Change Impacts Assessment. 2018. Retrieved From: https://docs.lib.purdue.edu/cgi/viewcontent.cgi?article=1000&context=climatetr.



⁵ International Panel on Climate Change. 2014. Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, R.K. Pachauri and L.A. Meyer (eds.)]. IPCC, Geneva, Switzerland, 151 pp. Retrieved from https://www.ipcc.ch/report/ar5/syr/.

⁶ The first paragraph in the "Introduction" section of this inventory was written and produced by ICLEI USA.

⁷ Indiana's Past & Future Climate: A Report from the Indiana Climate Change Impacts Assessment. 2018. Retrieved From: https://docs.lib.purdue.edu/cgi/viewcontent.cgi?article=1000&context=climatetr.

Record-Breaking Heat Waves

Huntington is currently experiencing an average of 24 high heat days and nights during the summer months. If GHGs continue to be emitted in the quantity and at the rate they are now, Huntington can expect to experience between 66 to 79 high heat days and nights by 2050. Extreme heat events can lead to a decrease in the quality of health, particularly for vulnerable populations, such as children, the elderly, low-income communities, and those with pre-existing health conditions.⁹

Delayed Fall Freeze

A delayed fall freeze is a result of global warming temperatures and longer summers. This could increase the growth of plants, such as ragweed, resulting in a longer allergy season for Huntington. According to the Indiana Climate Change Impacts Assessment, Indiana's frost-free season is projected to increase by 3.5 to 4.5 weeks by 2050.¹⁰

Heavy Rainfall and Reduced Water Quality

42% of the precipitation in Indiana comes from heavy rainfall events and this percentage is expected to increase by 13 to 20% by 2050. When heavy rainfall events occur, the city experiences flooding risks and water pollution from combined sewer system overflow. Huntington is currently working on stormwater efficiency, floodplain infrastructure development, and river improvements such as debris cleanups and the removal of low head dams to be proactive and prepared for future heavy rainfall events.

Reduced Air Quality

Air quality is measured by how much ambient air is pollution-free. GHGs are the main contributors to air pollution and as emissions increase, the air quality in Huntington reduces. Poor air quality increases irritation of the eyes, nose, and throat, causes respiratory conditions such as shortness of breath or asthma, and negatively affects the heart and cardiovascular system.¹²

Loss of Species and Decreased Crop Productivity

Environmental stressors such as increased temperatures of air and water, and increased drought risk, may reduce the populations of different species in Indiana. Loss of species may reduce or eliminate ecological services such as flood control, water purification, and crop pollination.¹³ The most common pollinators in

¹³ U.S. Climate Resilience Toolkit. 2019. Biodiversity and Ecosystems. Retrieved from https://toolkit.climate.gov/regions/midwest/biodiversity-and-ecosystems.



⁹ US EPA (United States Environmental Protection Agency). 2016. Climate Change and Extreme Heat What You Can Do to Prepare. Retrieved from https://www.epa.gov/sites/default/files/2016-10/documents/extreme-heat-guidebook.pdf.

¹⁰ PCCRC (Purdue Climate Change Research Center). 2018. Indiana's Past & Future Climate: A Report from the Indiana Climate Change Impacts Assessment. Retrieved from https://docs.lib.purdue.edu/cgi/viewcontent.cgi?article=1000&context=climatetr.

¹¹ PCCRC (Purdue Climate Change Research Center). 2018. Indiana's Past & Future Climate: A Report from the Indiana Climate Change Impacts Assessment. Retrieved from https://docs.lib.purdue.edu/cgi/viewcontent.cgi?article=1000&context=climatetr.

¹² US EPA (United States Environmental Protection Agency). 2021. Research on Health Effects from Air Pollution. Retrieved from https://www.epa.gov/air-research/research-health-effects-air-pollution.

Indiana are bees (i.e., honeybees and bumblebees), pollen wasps, and certain moths, butterflies and beetles. ¹⁴ These pollinators are vital for food and crop production in Indiana, and if their populations decline, a decrease in crop productivity can be expected.

Increased Demand for Cooling

When GHGs are emitted into the Earth's atmosphere, they become trapped through the greenhouse effect resulting in the warming of the planet. As temperatures continue to increase and Huntington experiences more high heat events, there may be a significant increase in demand for cooling. Consequently, a high demand for cooling puts a strain on electricity systems and increases GHG emissions. ¹⁵

ICLEI Climate Mitigation Milestones¹⁶

In response to the climate emergency, many communities in the United States are taking responsibility for addressing emissions at the local level. Since many of the major sources of greenhouse gas emissions are directly or indirectly controlled through local policies, local governments have a strong role to play in reducing greenhouse gas emissions within their boundaries, as well as influencing regional emissions through partnerships and advocacy. Through proactive measures around land use patterns, transportation demand management, energy efficiency, green building, waste diversion, and more, local governments can dramatically reduce emissions in their communities. In addition, local governments are primarily responsible for the provision of emergency services and the mitigation of natural disaster impacts.

ICLEI provides a framework and methodology for local governments to identify and reduce greenhouse gas emissions, organized along Five Milestones, shown in Figure 3:

- **1.** Conduct an inventory and forecast of local greenhouse gas emissions.
- **2.** Establish a greenhouse gas emissions science-based target. ¹⁷
- **3.** Develop a climate action plan for achieving the emissions reduction target.
- 4. Implement the climate action plan.
- **5.** Monitor and report on progress.



Figure 3: ICLEI Climate Mitigation Milestones

¹⁷ Science-Based Targets are calculated climate goals, in line with the latest climate science, that represent your community's fair share of the ambition necessary to meet the Paris Agreement commitment of keeping warming below 1.5°C. To achieve this goal, the Intergovernmental Panel




¹⁴ Indiana Department of Agriculture. 2021. Pollinator Habitat. Retrieved from https://www.in.gov/isda/programs-and-initiatives/pollinator-habitat/.

¹⁵ IEA (International Energy Agency). 2021. The Future of Cooling: Opportunities for Energy-Efficient Air Conditioning. Retrieved from https://www.iea.org/reports/the-future-of-cooling.

¹⁶ The "ICLEI Climate Mitigation and Milestones" section of this inventory was written and produced by ICLEI USA

for future work to reduce greenhouse gas emissions in Huntington.
on Climate Change (IPCC) states that we must reduce global emissions by 50% by 2030 and achieve climate neutrality by 2050. Equitably reducing





Inventory Methodology

What is a greenhouse gas emissions inventory?

Greenhouse gas (GHG) inventories estimate the amount of GHG emissions produced by an entity in a given period of time. It provides an understanding of the quantity of emissions produced, the different sources of the emissions, and how to reduce the emissions. It is recommended that the City of Huntington completes a GHG emissions inventory every three to five years to assess the community's emissions over time. Comparing inventories from different years will allow the City to determine trends of emissions within Huntington's community.

This report presents GHG emissions from the operations of Huntington's local government. The local government operations emissions are a subset of Huntington's community-wide emissions, shown in Figure 4. Huntington is



Figure 4: Local Government Operations as a subset of the Community Emissions.

one of many communities conducting GHG inventories to quantify the city's GHG emissions with the purpose to set climate reduction goals for the community and contribute to the goals of the global climate movement.

Greenhouse Gases Included in the Inventory¹⁸

Three greenhouse gases are included in this inventory: carbon dioxide (CO₂), methane (CH₄) and nitrous oxide (N₂O). Many of the charts in this report represent emissions in "carbon dioxide equivalent" (CO₂e)¹⁹ values, calculated using the Global Warming Potentials (GWP)²⁰ for methane and nitrous oxide from the IPCC 5th Assessment Report. The GWP was developed to compare the magnitude of global warming impacts of different greenhouse gases.²¹ It is a measure of the amount of heat a unit of greenhouse gas will trap in the atmosphere

²¹ USEPA (United States Environmental Protection Agency). 2021. Greenhouse Gas Emissions: Understanding Global Warming Potentials. Retrieved from https://www.epa.gov/ghgemissions/understanding-global-warming-potentials.



¹⁸ The "Greenhouse Gas Included in the Inventory" section of this inventory was written and produced by ICLEI USA.

 $^{^{19}}$ MTCO $_2$ e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.

²⁰ Find Global Warming Potential (GWP) definition in the Glossary.

over a period time, relative to the emissions of 1 ton of CO₂.²² For instance, CH₄ is estimated to have a GWP of 28, meaning it holds more heat than CO₂.²³ Table 1 includes the GWP for methane and nitrous oxide.

Table 1: Global Warming Potential Values (IPPC, 2014).

Greenhouse Gas	Global Warming Potential
Carbon Dioxide (CO ₂)	1
Methane (CH ₄)	28
Nitrous Oxide (N ₂ O)	265

Local Government Operations Emissions Protocol²⁴

For this inventory, Huntington followed the approaches and methods provided by ICLEI's Local Government Operations Protocol. In 2010, ICLEI, the California Air Resources Board (CARB), and the California Climate Action Registry (CCAR) released Version 1.1 of the LGO Protocol.²⁵ The LGO Protocol serves as the national standard for quantifying and reporting greenhouse emissions from local government operations. The purpose of the LGO Protocol is to provide the principles, approach, methodology, and procedures needed to develop a local government operations greenhouse gas emissions inventory.

The following activities are included in the LGO inventory:

- Energy and natural gas consumption from buildings & facilities.
- Wastewater treatment processes.
- On-road transportation from employee commute and vehicle fleet.
- Solid waste generation.

²⁵ ICLEI. 2008. Local Government Operations Protocol for Accounting and Reporting Greenhouse Gas Emissions. Retrieved from http://www.icleiusa.org/programs/climate/ghg-protocol/ghg-protocol.



²² USEPA (United States Environmental Protection Agency). 2021. Greenhouse Gas Emissions: Understanding Global Warming Potentials. Retrieved from https://www.epa.gov/ghgemissions/understanding-global-warming-potentials.

²³ USEPA (United States Environmental Protection Agency). 2021. Greenhouse Gas Emissions: Understanding Global Warming Potentials. Retrieved from https://www.epa.gov/ghgemissions/understanding-global-warming-potentials.

²⁴ The "Local Government Operations Emissions Protocol" section of this inventory was written and produced by ICLEI USA.

Quantifying Greenhouse Gas Emissions²⁶

Sources and Activities

Communities contribute to greenhouse gas emissions in many ways. Two central categorizations of emissions are used in the community inventory: 1) GHG emissions that are produced by "sources" located within the community boundary, and 2) GHG emissions produced as a consequence of community "activities".

By reporting on both GHG emissions sources and activities, local governments can develop and promote a deeper understanding of GHG emissions associated with their communities. A purely source-based emissions inventory could be summed to estimate total emissions released within the community's jurisdictional boundary. In contrast, a purely activity-based emissions inventory could provide perspective on the efficiency of the community, even when the associated emissions occur outside the jurisdictional boundary. The division of emissions into sources and activities replaces the scopes framework that is used in government operations inventories, but that does not have a clear definition for application to community inventories.

Base Year

The inventory process requires the selection of a base year with which to compare current emissions. Huntington's community greenhouse gas emissions inventory utilizes the calendar year of 2019 as its baseline year because it is the most recent year for which the necessary data are available.

Quantification Methods

Greenhouse gas emissions can be quantified in two ways:

- Measurement-based methodologies refer to the direct measurement of greenhouse gas emissions (from a monitoring system) emitted from a flue of a power plant, wastewater treatment plant, landfill, or industrial facility.
- Calculation-based methodologies calculate emissions using activity data and emission factors. To calculate emissions accordingly, the basic equation below is used:

Activity Data x Emission Factor = Emissions

Most emissions sources in this inventory are quantified using calculation-based methodologies. Activity data refer to the relevant measurement of energy use or other greenhouse gas-generating processes such as fuel consumption by fuel type, metered annual electricity consumption, and annual vehicle miles traveled. Please see appendices for a detailed listing of the activity data used in composing this inventory. Known emission factors are used to convert energy usage or other activity data into associated quantities of emissions. Emissions factors

²⁶ The "Quantifying Greenhouse Gas Emissions" section of this inventory was written and produced by ICLEI USA.



are usually expressed in terms of emissions per unit of activity data (e.g., lbs. CO_2/kWh of electricity). For this inventory, calculations were made using ICLEI's ClearPath tool.



Local Government Operations Inventory Results

Inventory Results by Sector

In the calendar year of 2019, the Huntington local government emitted approximately 40,809 MTCO₂e.²⁷ The LGO GHG inventory results are represented in Figure 5 and Table 2.

Solid Waste

The Solid Waste sector contributed about 82% of the LGO GHG emissions, emitting approximately 33,504 MTCO₂e. This sector of the inventory includes all waste sent to the Huntington Landfill in 2018, which includes waste generated by the local government. The Huntington Landfill closed in May 2019, the same year as this inventory's baseline year. The Huntington Landfill was the last government-owned landfill in Indiana. If the government did not own and operate the city's landfill, the GHG emissions from the solid waste sector would only include waste generated by the local government, but since they did own it until mid-2019, the government was responsible for all waste sent to Huntington's landfill. As this is the first inventory conducted by Huntington, it was decided to include data from the landfill to accurately reflect the emissions the government was responsible for until the landfill closure. If the government did not own and operate Huntington's landfill, the government's GHG emissions would be significantly less as it would only include waste generated by the local government. This reduction is expected to be reflected in the next LGO emissions inventory and should not be celebrated as an achievement of emission reductions in future reporting.

Water and Wastewater

The Water and Wastewater sector contributed about 11% of the LGO's GHG emissions, emitting approximately 4,326 MTCO₂e.²⁹ This sector includes emissions from the two potable water facilities and one wastewater treatment facility owned by Huntington's government.

Vehicle Fleet

The Vehicle Fleet sector contributed about 4% of the LGO's GHG emissions, emitting approximately 1,490 MTCO₂e.³⁰ The vehicle fleet includes emissions from all government-owned vehicles in Huntington, such as city official take-home, police department, fire department, and construction vehicles.

 $^{^{\}rm 30}$ MTCO $_{\rm 2}e$ is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.



²⁷ MTCO₂e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.

²⁸ MTCO₂e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.

²⁹ MTCO₂e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.

Buildings and Facilities

The Buildings and Facilities sector contributed about 2% of the LGO's GHG emissions, emitting approximately 713 MTCO₂e.³¹ These emissions are produced from the energy consumption sourced from electricity and natural gas of government owned buildings and facilities such as the City Building, Huntington Parks, Huntington Municipal Airport, and more.³² The data for this sector was compiled and calculated from the 2019 energy bills located in the City Clerk's Office of the City Building.

Streetlights and Traffic Signals

The Streetlights and Traffic Signals sector contributed about 1% of the LGO's GHG emissions, emitting approximately 525 MTCO₂e.³³ This sector includes all emissions produced from the streetlights and traffic signals owned by Huntington's local government. It excludes any state-owned streetlights and traffic signals.

Employee Commute

The Employee Commute sector contributed about <1% of the LGO's GHG emissions, emitting approximately 178 MTCO₂e.³⁴ Huntington's government has about 128 employees on staff. An employee commute survey was conducted in June 2021 to gather information regarding the distance an employee drives to and from work each day. The average vehicle miles traveled (VMT) was estimated using this data and projected to an approximate annual VMT for all employees.

Process and Fugitive Emissions

The Process and Fugitive sector contributed about <1% of the LGO's GHG emissions, emitting approximately 73 MTCO₂e.³⁵ This sector includes the natural gas leakage produced by natural gas consumption from the Water and Wastewater and Buildings and Facilities sectors.

 $^{^{35}\,}MTCO_2e$ is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.



 $^{^{31}}$ MTCO $_2$ e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.

³² This sector excludes energy consumption from the solid waste, streetlights and traffic signals, and water and wastewater sectors as they are separate sectors in this inventory.

³³ MTCO₂e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.

 $^{^{34}}$ MTCO $_2$ e is defined as Metric Tons of carbon dioxide equivalent. Also found in Glossary.




Figure 5: Local Government Operations GHG emissions by sector in Huntington, Ind., during the 2019 calendar year.

Table 2: Breakdown of LGO GHG Emissions Inventory Results

Sector	Fuel or source	2019 Usage	Usage unit	2019 Emissions (MTCO ₂ e)
Buildings & Facilities	Electricity (Duke Energy)	593,191	kWh	289.02
	Electricity (Heartland REMC)	111,074	kWh	54.119
bulluligs & Facilities	Natural Gas (Constellation)	27,594	Therms	146.76
	Natural Gas (Centerpoint/Vectren)	42,005	Therms	223.41
			Buildings & Facilities Total:	713
Streetlights & Traffic Signals	Electricity	1,078,218	kWh	525
		Streetlig	hts & Traffic Signals Total:	525
Waltisla Flank	Gasoline (on-road)	67,489.02	Gallons	689.02
Vehicle Fleet	Diesel (on-road)	10,986.58	Gallons	801.24
	•		Vehicle Fleet Total:	1,490
Employee Commute	Gasoline	381,060	Miles	174.47
	Diesel	7,776	Miles	4.447
Employee Commute Total:				
	Waste Generation	34,594	Tons	33,487
Solid Waste	Electricity	21,820	kWh	10.631
	Propane	1,009	Gallons	5.698
			Solid waste Total:	33,504
	Digester Gas Flared	6,000	Scf/Day	388.56
	Digester Gas Combusted (used for boiler operations)	30,000	Scf/Day	1.878
Water and wastewater	Wastewater Electricity	2,206,729	kWh	1,075.2
	Wastewater Natural Gas	7,646	Therms	40.671
	Potable Water Electricity	2,048,386	kWh	998.04
	Potable Water Natural Gas	342,370	Therms	1,820.9
Water and wastewater Total:				4,326
Process & Fugitive Emissions	Fugitive Emissions from Natural Gas Distribution	419,617.25	Therms	73
Process & Fugitive Emissions Total:				73
		Total Lo	cal Government Emissions:	40,809



Next Steps

The results from the LGO inventory indicate that Huntington's local government is responsible for about 9.8% of the community-wide emissions. The results from this inventory will be used to set goals and determine projects to implement within the local government operations to reduce the community's GHG emissions in the upcoming years. These goals and projects will be reported in Huntington's Climate Action Plan. Based on the inventory results, the following areas have the greatest opportunity for emission reduction in Huntington's LGO:

Energy Efficiency. The fourth largest contributing sector in the LGO inventory is Buildings and Facilities. Focusing on making government owned buildings and facilities energy efficient will reduce the local government's GHG emissions and contribution to the community emissions.

Renewable Energy. The City may begin to transition the main energy sources for government facilities to renewable energy. Oil, natural gas, and coal are non-renewable resources meaning they are finite resources.³⁶ Transitioning to renewable energy such as solar energy, wind power, and hydropower will not only reduce the community's GHG emissions, but also lead Huntington to a clean energy future with energy independence. Huntington's government could focus on projects for renewable energy installation for the government-owned buildings and facilities.

Greenspace. Huntington's high heat days are expected to increase from 24 days to 66-79 days by 2050. In order to prepare for the increase in high heat days, Huntington is planning to implement projects that will increase greenspace and specifically tree canopy coverage within the city, such as an arboretum at Evergreen Park and planting of street trees. Tree canopy coverage provides shade and reduces summer peak temperatures and air pollution.³⁷ In addition, it provides wildlife habitat, aesthetic benefits, and enhances property value.³⁸

Electric Vehicles. Electric vehicles (EVs) provide many benefits such as zero GHG emissions, a reduction of fuel costs, and a reduction of noise pollution.³⁹ The local government could focus on transitioning its own vehicle fleet to EVs, starting with city official take-home vehicles or a larger vehicle fleet such as the police vehicles. In addition to transitioning the government's vehicle fleet, the government could implement projects to install EV charging stations in Huntington. Currently, there are only 40 high-powered public charging stations in Indiana, with half of them located in Indianapolis alone.⁴⁰ Installing charging stations in Huntington would allow the city to transition to electric vehicles.

⁴⁰ Thiele, Rebecca. May 24, 2021. Indiana Awards Electric Utilities \$5.5 Million to Building Electric Vehicle Charging Stations. Retrieved from https://www.wfyi.org/news/articles/indiana-awards-electric-utilities-55-million-to-build-electric-vehicle-charging-stations.



³⁶ United States Department of Energy. 2021. Fossil. Retrieved from https://www.energy.gov/science-innovation/energy-sources/fossil.

³⁷ USDA (United States Department of Agriculture). 2021. Urban Natural Resources Stewardship: Urban Tree Canopy. Retrieved from https://www.nrs.fs.fed.us/urban/utc/.

³⁸ USDA (United States Department of Agriculture). 2021. Urban Natural Resources Stewardship: Urban Tree Canopy. Retrieved from https://www.nrs.fs.fed.us/urban/utc/.

³⁹ Duke Energy. 2021. Electric Vehicles. Retrieved from https://www.duke-energy.com/energy-education/energy-savings-and-efficiency/electric-vehicles/benefits-of-evs.

Stormwater Efficiency. In 2021, Huntington scored a 5/10 for preparedness of future heavy rainfall events. The City is already working on projects to increase the efficiency of stormwater and sewage drains in Huntington. Making the stormwater systems more efficient will help the city be prepared for heavy rainfall events that lead to flooding. In addition, the City is working on floodplain infrastructure development, as well as river improvements such as debris cleanups and the removal of low head dams.

Education. Moving forward into the future, the City of Huntington will continue to be transparent with the public on the challenges the community may face through press releases and reports such as the one you are reading. In addition, Huntington will become better in educating the public on how to reduce individual GHG emissions.

Focusing on projects in these six areas of opportunity could significantly reduce Huntington's GHG emissions and make the city climate resilient. To continue towards climate resiliency for the city, it is recommended that Huntington completes a GHG emissions inventory every three to five years to assess progress from implemented emission reduction projects.



Conclusion⁴¹

This inventory marks completion of Milestone One of the Five ICLEI Climate Mitigation Milestones and Stage One of the ERI's Climate Action Planning. The next steps are to forecast emissions, set an emissions-reduction target, and build upon the existing projects with a more robust climate action plan that identifies specific quantified strategies that can cumulatively meet that target. The IPCC's most recent literature and study recommend that the world reach carbon neutrality between years 2040 and 2050. It is even more imperative that countries set targets that are ambitious enough to limit the accumulation of carbon between now and midcentury. Science-Based Targets are calculated climate goals, in line with the latest climate science, that represent a community's fair share of the ambition necessary to meet the Paris Agreement commitment of keeping warming below 1.5°C. To achieve this goal, the Intergovernmental Panel on Climate Change (IPCC) states that we must reduce global emissions by 50% by 2030 on the way to climate neutrality by 2050. Equitably reducing global emissions by 50% requires that high-emitting, wealthy nations reduce their emissions by more than 50%. Community education and building partnerships will be instrumental components of our climate efforts.

In addition, the City of Huntington will continue to track key energy use and emissions indicators on an ongoing basis. It is recommended that communities update their inventories on a regular basis, especially as plans are implemented to ensure measurement and verification of impacts. More regular inventories also allow for "rolling averages" to provide more insight into sustained changes and can help reduce the chance of an anomalous year being incorrectly interpreted. This inventory shows that the three energy sectors, as well as community-wide transportation patterns will be particularly important to focus on. Through these efforts and others, Huntington can achieve additional environmental, economic, and social benefits beyond reducing emissions.

⁴¹ The "Conclusion" section of this inventory was written and produced by ICLEI USA.



Glossary and Acronyms

Activity – The use of energy, materials, and/or services by members of the community that result in the creation of GHG emissions.

Baseline Year – A historic point of comparison that can be used to track changes and improvements overtime. The baseline year represents a calendar year of 12 full months of data.

British Thermal Unit (Btu) – a unit used for the measurement of heat.

Carbon dioxide (CO₂) – A heat-trapping (greenhouse) gas released through human activities such as deforestation and burning fossil fuels.

Carbon dioxide Equivalent (CO_2e) – The number of metric tons of CO_2 emissions with the same global warming potential as 1 metric ton of another greenhouse gas.

Climate Action Plan (CAP) – A detailed document with strategic framework for measuring, planning, and reducing greenhouse gas emissions.

Energy Independence – Independence regarding energy resources, energy supply, and/or energy generation by the energy industry.

Global Warming Potential (GWP) – the total contribution to global warming resulting from the emission of one unit of that gas relative to one unit of the reference gas, carbon dioxide.

Greenhouse Gas (GHG) – A gas that contributes to the greenhouse gas effect by absorbing radiation.

Greenhouse Gas Emissions Inventory – The quantification of greenhouse gas emissions by an entity (e.g., community, government, etc.) over a period of time.

MACES – Mayor's Advisory Council on Environmental Stewardship.

Methane (CH₄) – A heat-trapping (greenhouse) gas released through human activities such as production and transportation of coal, natural gas, and oil, and decay of organic waste in municipal solid waste landfills.

Metric Tons (MT) – A unit of weight equal to 1,000 kilograms.

Municipal – Another term for "city".

Nitrous oxide (N_2O) – A heat-trapping (greenhouse) gas released through human activities such as industrial activities, wastewater treatment, and combustion of fossil fuels and solid waste.

Source – Any physical process inside the jurisdictional boundary that releases GHG emissions into the atmosphere.

Therm (thm) – A unit of measurement of the amount of heat energy in natural gas equivalent to 100,000 Btu or 1.055×108 joules.



Vehicle Miles Traveled (VMT) – The number of miles traveled by vehicles over a specific amount of time (daily, monthly, or annual).

Acknowledgements and Credits

CITY OF HUNTINGTON

Richard Strick, Mayor, Mayor's Office

Amber Rensberger, Administrative Assistant, Mayor's Office

Annette Carroll, Director of Operations, Mayor's Office

Adam Cuttriss, Director of Public Works and Engineering Services, Department of Public Works and Engineering Services

Ben Bond, GIS Coordinator, Department of Public Works and Engineering Services

Christi McElhaney, City Clerk Treasurer, Department of Treasury

Julee Shearer, Senior Deputy, Department of Treasury

Sherry Miller, Payroll Deputy Clerk Treasurer, Department of Treasury

Bryn Keplinger, Director of Community Development and Redevelopment, Department of Community Development and Redevelopment

Kevin Krauskopf, Communications Coordinator

Steve Yoder, Parks Superintendent, Parks Department

Tim Bischoff, Streets Superintendent, City Services

Matthew Hosier, Regional Manager, F&V Operations and Resource Management

Mike Plasterer, Water Superintendent, F&V Operations and Resource Management

Marilyn Ratliff, Utilities Services Coordinator, Water Department

Kathryn Lisinicchia, MACES

Pam Praenger, MACES

Collin Hobbs, MACES

Raymie Porter, MACES

Tommi Tucker, MACES

Ed Farris, MACES

Christy Thomson, MACES

INDIANA UNIVERSITY

Danni Schaust, Program Manager, Indiana Sustainability Development Program

Steven Chybowski, Resilience Cohort Coordinator, Environmental Resilience Institute

Andrea Webster, Implementation Manager, Environmental Resilience Institute

Hannah Staley, Indiana Climate Fellow

Sarah Miller, Program Management Intern, Indiana Sustainability Development Program

Andrew Predmore, Director of Sustainability

ICLEI LOCAL GOVERNMENTS FOR SUSTAINABILITY

Tom Herrod, Program Officer, ICLEI USA

Matthew Katz, Program Officer, ICLEI USA

PUBLIC UTILITIES

Duke Energy Constellation

Heartland REMC CenterPoint/Vectren

FOUNDATIONS

McKinney Family Foundation

Duke Energy Foundation

Appendix: Methodology Details

The following tables shows each activities, related data sources, and notes on data gaps and assumptions.

Energy

Table 3: Energy Data Sources

Activity	Data Source	Emissions Factor	Data Gaps/Assumptions
Buildings and Facilities Electricity Consumption	Duke Energy and Heartland REMC	RFCW eGRID	The data was collected and compiled from the local government's energy bills. The national emissions factors were used for the Duke Energy data because the data did not come directly from Duke Energy.
Buildings and Facilities Natural Gas Consumption	Centerpoint/Vectren and Constellation	RFCW eGRID	The data was collected and compiled from the local government's energy bills.
Streetlights and Traffic Signals Electricity Consumption	Duke Energy	RFCW eGRID	The data was collected and compiled from the local government's energy bills.

Table 4: Emissions Factors for Electricity Consumption

Emissions Factor	Year	CO ₂ (lbs./MWh)	CH4 (lbs./GWh)	N ₂ O (lbs./GWh)
RFC West (RFCW) eGRID	2019	1,067.679	99	14

Transportation

Table 5: Government Transportation Date Sources

Activity	Data Source	Data Gaps/Assumptions
Government Vehicle Fleet	Huntington Municipal Government	The VMT data was calculated and estimated based on direct vehicle fleet data from the local government.
Employee Commute	Commuter Survey	A Commuter Survey was released in June 2021. The results from the survey were used to estimate the total annual commute VMT by all 128 city employees.

For vehicle transportation, it is necessary to apply average miles per gallon and emissions factors for CH_4 and N_2O to each vehicle type. The factors used are shown in Table 6.



Table 6: 2019 MPG and Emissions Factors by Vehicle Type

Fuel	Vehicle type	MPG	CH4 g/mile	N ₂ O g/mile
Gasoline	Passenger car	24.37713	0.0183	0.0083
Gasoline	Light truck	17.86788	0.0193	0.0148
Gasoline	Heavy truck	5.371652	0.0785	0.0633
Gasoline	Motorcycle	24.37713	0.0183	0.0083
Diesel	Passenger car	24.37713	0.0005	0.001
Diesel	Light truck	17.86788	0.001	0.0015
Diesel	Heavy truck	6.392486	0.0051	0.0048

Wastewater Treatment

Table 7: Wastewater Data Sources

Activity	Activity Data Source Data Gaps/Assumptions	
Digester Gas Combustion/Flaring	Huntington Wastewater Treatment Facility – F&V Operations	The data was provided directly from the Huntington Water Department and F&V Operations. National fraction for digester gas of CH ₄ was used. The exact fraction in the facility may be estimated by hiring an outside contractor to conduct testing at the facility.
Energy Used in Wastewater Facilities	Huntington Wastewater Treatment Facility – F&V Operations	The data was provided directly from the Huntington Water Department and F&V Operations.

Potable Water

Table 8: Potable Water Data Sources

Activity	Data Source	Data Gaps/Assumptions
Energy Used in Potable Water Facilities	Huntington Potable Water Facility – F&V Operations	The data was provided directly from the Huntington Water Department and F&V Operations.



Solid Waste

Table 9: Solid Waste Data

Activity	Data Source	Data Gaps/Assumptions
Waste Generated by Residents and Local Government Facilities	Huntington Landfill	The Huntington Landfill closed in May 2019, the year of the inventory baseline. 2018 landfill data was used to reflect accurate waste generation by the residential and local government facilities within Huntington city limits.
Waste Generated by Commercial and Industrial Facilities	HCUED & EPA	The data was estimated using job CENSUS data from HCUED and national waste generation data from EPA.

Inventory Calculations

The 2019 inventory was calculated following the Local Government Operations Emissions Protocol and ICLEI's ClearPath software. As discussed in Inventory Methodology, the IPCC 5th Assessment was used for global warming potential (GWP) values to convert methane and nitrous oxide to CO₂ equivalent units. ClearPath's inventory calculators allow for input of the sector activity (i.e., kWh or VMT) and emission factor to calculate the final MTCO₂e emissions.

